



































































- [24] L. Wei, Z. Li, M. R. James, and I. R. Petersen, "A minimax robust decoding algorithm," *IEEE Trans. Information Theory*, vol. 46, pp. 1158–1167, May 2000.
- [25] A. Worm, P. Hoeher, and N. Wehn, "Turbo-decoding without SNR estimation," *IEEE Communications Letters*, vol. 4, pp. 193–195, June 2000.
- [26] T. A. Summers and S. G. Wilson, "SNR mismatch and online estimation in turbo decoding," *IEEE Trans. Communications*, vol. 46, pp. 421–423, Apr. 1998.
- [27] M. A. Khalighi, "Effect of mismatched SNR on the performance of log-MAP turbo detector," *IEEE Trans. Vehicular Technology*, vol. 52, pp. 1386–1397, Sept. 2003.
- [28] Y. Huang and J. A. Ritcey, "EXIT chart analysis of BICM-ID over AWGN channel with SNR mismatch," *IEEE Communications Letters*, vol. 8, pp. 532–534, Aug. 2004.
- [29] O. Barndorff-Nielsen, "Normal inverse Gaussian processes and stochastic volatility modelling," *Scand. J.Stat.*, pp. 1–13, May 1997.
- [30] A. Hanssen and T. Oigard, "The normal inverse Gaussian distribution as a flexible model for heavy-tailed processes," in *IEEE-EURASIP Workshop on Nonlinear Signal and Image Processing*, p. 5 pages, June 2001.
- [31] T. Oigard *et al.*, "EM-estimation and modeling of heavy-tailed processes with the multivariate normal inverse gaussian distribution," *Signal Processing, Elsevier*, pp. 1655–1673, 2005.
- [32] A. Hanssen and T. Oigard, "The normal inverse Gaussian distribution: a versatile model for heavy-tailed stochastic processes," in *ICASSP '01*, pp. 3985 – 3988, May 2001.
- [33] P. Blaesild, Feb. 2007. Personal correspondence.
- [34] R. Otnes, "On soft-output demapping in filter-based soft-In/Soft-out equalizers," in *Proc. 3rd Int. Symp. on Turbo Codes and Related Topics*, (Brest, France), pp. 471–474, ENST Bretagne, Sept. 2003.
- [35] A. Papoulis, *Probability, Random Variables and Stochastic Processes*. McGraw-Hill Inc., 1991.
- [36] S. ten Brink, "Convergence behavior of iteratively decoded parallel concatenated codes," *IEEE Trans., Communications*, pp. 1727–1737, Oct 2001.
- [37] J. Hagenauer and P. Hoeher, "A Viterbi algorithm with soft-decision outputs and its applications," in *Proc. IEEE Global Telecommunications Conf., GLOBECOM '89*, vol. 3, (Dallas, TX, USA), pp. 1680–1686, IEEE, Nov. 1989.
- [38] L. R. Bahl, J. Cocke, F. Jelinek, and J. Raviv, "Optimal decoding of linear codes for minimizing symbol error rate," *IEEE Trans. Information Theory*, vol. IT-20, pp. 284–287, Mar. 1974.
- [39] J. Proakis, *Digital Communications*. McGraw-Hill Inc., 2001.
- [40] A. Salberg *et al.*, "The normal inverse Gaussian distribution as a model for MUI," in *ASILOMAR '01*, pp. 1484 – 1488, Nov 2001.